



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/809,661	03/15/2001	Eric R. Alling	50823	5747
21874	7590	03/25/2005	EXAMINER	
EDWARDS & ANGELL, LLP			SINES, BRIAN J	
P.O. BOX 55874			ART UNIT	
BOSTON, MA 02205			PAPER NUMBER	

1743

DATE MAILED: 03/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/809,661

Applicant(s)

ALLING ET AL.

Examiner

Brian J. Sines

Art Unit

1743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 January 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 11-18 is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |


DETAILED ACTION***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:


A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 5 – 7 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Eckles et al. (U.S. Pat. No. 4,326,940). Regarding claims 1, 5 – 7 and 10, Eckles et al. teach a system for monitoring and controlling an electroplating bath apparatus (bath 43), wherein the system comprises: an analyzer module (analyzer 1) in communication with the apparatus; a control host (e.g., data acquisition and utilization device 14); and an access device (e.g., computer 112) in communication with the control host (see col. 3, line 40 – col. 11, line 3; figures 1 & 2). Regarding claim 2, Eckles et al. teach that their disclosed system is capable of being operated continuously (see col. 7, lines 27 – 35).



Art Unit: 1743



These claims recite various process or intended use limitations regarding how the system is to be operated or used, which do not further delineate the structure of the claimed apparatus from that of the prior art. Since these claims are drawn to an apparatus statutory class of invention, it is the structural limitations of the apparatus, as recited in the claims, which are considered in determining the patentability of the apparatus itself. These recited process or use limitations are accorded no patentable weight to an apparatus. Process limitations do not add patentability to a structure, which is not distinguished from the prior art. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. See *In re Casey*, 152 USPQ 235 (CCPA 1967); and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). The Courts have held that it is well settled that the recitation of a new intended use, for an old product, does not make a claim to that old product patentable. See *In re Schreiber*, 128 F.3d 1473, 1477, 44 USPQ2d 1429, 1431 (Fed. Cir. 1997). Furthermore, the Courts have held that

Art Unit: 1743

apparatus claims must be structurally distinguishable from the prior art in terms of structure, not function. See *In re Danley*, 120 USPQ 528, 531 (CCPA 1959); and *Hewlett-Packard Co. V. Bausch and Lomb, Inc.*, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990). The Courts have held that the manner of operating an apparatus does not differentiate an apparatus claim from the prior art, if the prior art apparatus teaches all of the structural limitations of the claim. See *Ex Parte Masham*, 2 USPQ2d 1647 (BPAI 1987) (see MPEP § 2114).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 3, 4, 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eckles et al. in view of Reid (U.S. Pat. No. 6,458,262 B1). Eckles et al. do not specifically teach that the control host is in remote communication with the analyzer module. Reid does teach an on-line monitoring and control system for an electroplating chemistry bath, wherein the control system is connected to a telecommunications or computer network (i.e., the internet) for

Art Unit: 1743

remotely controlling and monitoring the system (see col. 12, lines 1 – 9). As evidenced by Reid, a person of ordinary skill in the art would have recognized the suitability of incorporating an on-line monitoring and control system for an electroplating chemistry bath for the intended purpose of remotely controlling and monitoring the bath apparatus (see MPEP § 2144.07). Furthermore, as indicated by Reid, a person of ordinary skill in the art would accordingly have had a reasonable expectation of success of incorporating such a remote control and monitoring feature with an electroplating bath system. The Courts have held that the prior art can be modified or combined to reject claims as *prima facie* obvious as long as there is a reasonable expectation of success. See *In re Merck & Co., Inc.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986) (see MPEP § 2143.02). Therefore, it would have been obvious to one of ordinary skill in the art to incorporate a computer or a telecommunications network, as taught by Reid, with the control and monitoring system, as taught by Eckles et al., in order to facilitate complete and effective control and monitoring for the electroplating bath process and equipment.

Response to Arguments

1. Regarding the rejection of claims 1, 2, 5 – 7 and 10 under 35 U.S.C. 102(b) as being anticipated by Eckles et al., applicant's arguments, filed 1/7/2005, have been fully considered, but they are not persuasive. The applicants allege that the prior art does not teach the claimed apparatus. However, as discussed above, the cited prior art unequivocally teach all of the positively recited structure of the claimed apparatus. The Courts have held that apparatus claims must be structurally distinguishable from the prior art in terms of structure, not function. See *In re Danley*, 120 USPQ 528, 531 (CCPA 1959); and *Hewlett-Packard Co. V. Bausch and Lomb, Inc.*, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990). The Courts have held that the manner of

Art Unit: 1743

operating an apparatus does not differentiate an apparatus claim from the prior art, if the prior art apparatus teaches all of the structural limitations of the claim. See *Ex Parte Masham*, 2 USPQ2d 1647 (BPAI 1987) (see MPEP § 2114).

2. Regarding the rejection of claims 3, 4, 8 and 9 under 35 U.S.C. 103(a) as being unpatentable over Eckles et al. in view of Reid, applicant's arguments, filed 1/7/2005, have been fully considered, but they are not persuasive. The applicants provide no significant arguments in rebuttal this rejection. This rejection is maintained.

Allowable Subject Matter

Claims 11 – 18 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claim 11, the cited prior art neither teach or fairly suggest a method for controlling the operation of equipment, wherein the operation of the equipment is adjustable via at least one parameter setting, in which the method comprises the steps of further checking the operations analysis and the adjustment of the at least one parameter setting , and overriding the adjustment and providing corrective parameter settings for the equipment when a control loop mechanism of the equipment is drifting.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines, Ph.D. whose telephone number is (571) 272-1263. The examiner can normally be reached on Monday - Friday (11:30 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1743

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jill Warden
Supervisory Patent Examiner
Technology Center 1700